

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

5693343

APPROVED U.G.F.I.D.
CLASS 424 SUBCLAS 491
BY DRAFTSMAN

FIG. 1




FIG. 2





FIG. 3





FIG. 4

APPROVED	O.G. FIG.
	CLASS
BY	SUBCLASS
DRAFTSMAN	



* - VISCOSITY ON OIL IN CENTISTOKES & 40°C

FIG. 5




FIG. 6






FIG. 7



*ONE SECOND EMULSIFICATION WITHOUT AN
EMULSION SCREEN


U.S. NAVY
CLASS SUBCLASS
By DRAFTSMAN

FIG. 8




APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

FIG. 9




APPROVED
BY
DRAFTSMAN

FIG. 10



APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

FIG. 11




APPROVED	O.G. FIG.
CLASS	SUBCLASS
BY	DRAFTSMAN

FIG. 12




APPROVED	O.G. FIG.
BY	CLASS
DRAFTSMAN	SUBCLASS

FIG. 13



REF ID: A6591 U.S. NAVY
CLASS SUBCLASS
BY DRAFTSMAN

FIG. 14



APPROVED	O.G.	FIG.
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 15




APPROVED	O.G. FIG.
CLASS	SUBCLASS
BY	
DRAFTSMAN	

FIG. 16




APPROVED	O.G. FIG.
CLASS	SUBCLASS
BY	
DRAFTSMAN	

FIG. 17



U.S. FIG.	U.S. FIG.
CLASS	SUBCLASS
BY DRAFTSMAN	

FIG. 18



APPROVED	U.S. FIG.
	CLASS
BY	SUBCLASS

DRAFTSMAN

FIG. 19

